

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicants	:	K. Suganuma et al.	<b>Certificate of Correction Branch</b>
Patent No.	:	7,368,881	Issued : May 6, 2008
Appl. No.	:	10/596,794	Filed : June 23, 2006
For	:	DISCHARGE LAMP LIGHTING APPARATUS AND LAMP SYSTEM USING THE LIGHTING APPARATUS	

**REQUEST FOR SECOND CERTIFICATE OF CORRECTION**

Commissioner for Patents  
U.S. Patent and Trademark Office  
Customer Service Window, Mail Stop **Certificate of Correction Branch**  
Randolph Building  
401 Dulany Street  
Alexandria, VA 22314

Sir :

Please find attached a proposed Certificate of Correction.

Please correct the following error that appears in the Certificate of Correction signed and sealed June 16, 2009. Applicants note that the Request for Certificate of Correction filed on August 15, 2008 is correct, but that the error appears in the actual Certificate of Correction. Since the error is the fault of the Applicants, the appropriate fee is enclosed.


In the Certificate of Correction mailed on June 16, 2009, "claim 19, line 2" should be changed to ---claim 10, line 2---. This appeared correctly in the filed Request for Certificate of Correction, but incorrectly in the issued Certificate of Correction.

Therefore, it is respectfully requested that a Certificate of Correction issue in the above-identified patent as follows:

In the Certificate of Correction signed and sealed on June 16, 2009, change "claim 19, line 2" to ---claim 10, line 2---.

Should there be any questions, the Examiner is invited to contact the undersigned at the below-listed number.

Respectfully Submitted,  
K. SUGANUMA et al.



Bruce H. Bernstein  
Reg. No. 29,027

December 18, 2009  
GREENBLUM & BERNSTEIN, P.L.C.  
1950 Roland Clarke Place  
Reston, VA 20191  
(703) 716-1191

**Steven Wegman**  
**Reg. No. 31,438**

**UNITED STATES PATENT AND TRADEMARK OFFICE  
CERTIFICATE OF CORRECTION**

Page 1 of 1

PATENT NO. : 7,368,881

APPLICATION NO.: 10/596,794

ISSUE DATE : May 6, 2008

INVENTOR(S): Suganuma et al.

It is certified that an error appears in the above-identified patent and that said Letters Patent is hereby corrected as shown below:

In the Certificate of Correction mailed on June 16, 2009, "claim 19, line 2" should be change to ---claim 10, line 2---.

MAILING ADDRESS OF SENDER (Please do not use customer number below):

GREENBLUM & BERNSTEIN, P.L.C.

1950 Roland Clarke Place  
Reston, VA 20191-1411

This collection of information is required by 37 CFR 1.322, 1.323, and 1.324. The information is required to obtain or retain a benefit by the public which is to file (and by the USPTO to process) an application. Confidentiality is governed by 35 U.S.C. 122 and 37 CFR 1.14. This collection is estimated to take 1.0 hour to complete, including gathering, preparing, and submitting the completed application form to the USPTO. Time will vary depending upon the individual case. Any comments on the amount of time you require to complete this form and/or suggestions for reducing this burden, should be sent to the Chief Information Officer, U.S. Patent and Trademark Office, U.S. Department of Commerce, P.O. Box 1450, Alexandria, VA 22313-1450. DO NOT SEND FEES OR COMPLETED FORMS TO THIS ADDRESS. SEND TO: **Attention Certificate of Corrections Branch, Commissioner for Patents, P.O. Box 1450, Alexandria, VA 22313-1450.**

*If you need assistance in completing the form, call 1-800-PTO-9199 and select option 2.*